

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/754,562	01/04/2001	Karl Heinz Kremer	H10109/JDP	3723
1333 EASTMAN K	7590 07/25/2007 ODAK COMPANY		EXAMINER	
PATENT LEGAL STAFF			SINGH, SATWANT K	
343 STATE STREET ROCHESTER, NY 14650-2201			ART UNIT	PAPER NUMBER
			2625	
			<u></u>	· · · · · · · · · · · · · · · · · · ·
			MAIL DATE	DELIVERY MODE
		•	07/25/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	09/754,562	KREMER ET AL.			
Office Action Summary	Examiner	Art Unit			
	Satwant K. Singh	2625			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DATE of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period was Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNI 36(a). In no event, however, may a will apply and will expire SIX (6) MO , cause the application to become A	ICATION. I reply be timely filed INTHS from the mailing date of this communication. ABANDONED (35 U.S.C. § 133).			
Status					
1)⊠ Responsive to communication(s) filed on <u>04 April 2007</u> .					
2a) ☐ This action is FINAL . 2b) ☑ This	This action is FINAL . 2b)⊠ This action is non-final.				
3) Since this application is in condition for allowar	☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4)⊠ Claim(s) <u>1-19</u> is/are pending in the application.					
4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.					
6) Claim(s) is/are rejected.		•			
7) Claim(s) is/are objected to.	·				
8) Claim(s) are subject to restriction and/o	r election requirement.	·			
Application Papers					
9)☐ The specification is objected to by the Examine	۲.				
10)⊠ The drawing(s) filed on <u>04 January 2001</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119		•			
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).					
a) ☐ All b) ☐ Some * c) ☐ None of: 1. ☐ Certified copies of the priority documents have been received.					
2. Certified copies of the priority documents have been received in Application No					
3. Copies of the certified copies of the priority documents have been received in this National Stage					
application from the International Bureau (PCT Rule 17.2(a)).					
* See the attached detailed Office action for a list of the certified copies not received.					
Attachment(s)					
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)					
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 1/10/07. 		(s)/Mail Date Informal Patent Application 			

Art Unit: 2625

DETAILED ACTION

Page 2

Response to Arguments

- 1. Applicant's arguments filed 04, April 2007 with respect to claims 1, 6, 11, and 16 regarding the claim limitation that Hube (US 5,337,161) fails to disclose "*information* rendered on the tabs be characters, which are stored in a non-image format" have been considered but are moot in view of the new ground(s) of rejection.
- 2. Applicant's arguments filed 04, April 2007 regarding the claim limitation that Hube (US 5,337,161) fails to disclose "global tab stock data identifying the tab stock to be used for printing all of the selected pages be stored on a plurality-of page basis" have been fully considered but they are not persuasive. Fig. 9, S3, allows a user to identify specified pages (interpreted as plurality-of-pages) in job programmed for tab stock and Fig. 9, S11 allows a user to retrieve tab images an apply sequentially to tab pages (interpreted as plurality-of-pages) in the job.
- 3. Prosecution on the merits of this application is reopened on claims 1-19 for the reasons indicated above.

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 1-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hube (US 5,337,161) in view of Motamed et al. (US 6,549,300).

Art Unit: 2625

Page 3

6. Regarding Claim 1, Hube teaches a printing system for printing a document (Fig. 1, printing system 2), said printing system comprising: a job preparation station (scanner section 6, controller section 7), including a processor (processor 25), a memory (main memory 56), and a user interface (user interface 52), said job preparation station configured at least to: generate flags stored in the memory for each of a plurality of pages in a document to be printed (pages specified to be programmed as tab stock). the flags being generated in response to first inputs received from the user interface (user can specify pages in the print job to be programmed as tab stock), the first inputs specifying that selected pages in the document include tabs (user can specify pages in the print job to be programmed as tab stock), the flags indicating that the selected pages in the document contain the tabs (pages specified to be programmed as tab stock) (col. 7, lines 5-34), and store, on a plurality-of-page basis, global tab stock data in the memory identifying the tab stock to be used for printing all of the selected pages, the global tab stock data being stored in response to a third input received from the user interface (page tickets are saved) (col. 8, lines 14-28); and a print output module (Fig. 2. printer 8) that receives the flags, specified characters to be rendered on said tabs, and the global tab stock data from the job preparation station and prints the specified characters on the tabs of the specified pages of the identified tab stock (Fig. 9) (printing tab images on the tab pages) (col. 8, lines 14-46).

Hube fails to teach a printing system comprising: storing specified characters for each of the selected pages to be rendered on the tabs, the specified characters for each

of the selected pages being stored in the memory in a non-image format and being stored in response to second inputs received from the user interface.

Page 4

Motamed et al teaches a printing system comprising: storing specified characters for each of the selected pages to be rendered on the tabs (templates can be stored in a computer memory) (col. 5, lines 17-23), the specified characters for each of the selected pages being stored in the memory in a non-image format (tab text and tab font size) (col. 7, lines 1-39) and being stored in response to second inputs received from the user interface (Figs. 12-14) (col. 6, lines 56-67, col. 7, lines 1-39).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to have combined the teachings of Hube with the teaching of Motamed to use templates containing the non-image parameters for the printing of tabs.

- 7. Regarding Claim 2, Hube teaches a printing system wherein each of the flags (tab parameters) (col. 7, lines 5-16 and col. 8, lines 15-27) and the specified characters for each of the selected pages (tab image) (col. 8, lines 47-67 and col. 9, lines 1-2) are stored as objects.
- 8. Regarding Claim 3, Hube teaches a printing system wherein said objects are page objects (page tickets) (col. 8, lines 15-27).
- 9. Regarding Claim 4, Hube fails to teach a printing system wherein said objects comprise PDF objects.

Motamed et al teaches a printing system wherein said objects comprise PDF objects (PS/PDF file on the Fiery) (col. 6, lines 42-52).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to have combined the teachings of Hube with the teaching of Motamed to save the template as a PDF file.

- 10. Regarding Claim 5, Hube teaches a printing system wherein a tab sheet is created as an additional page to the document (tab stock) (col. 7, lines 9-12).
- 11. Regarding Claim 6, Hube teaches a printing system for printing a document, said printing system comprising: a job preparation station, including a processor and a memory, said job preparation station generating a flag stored in the memory indicating that a selected page in a document to be printed includes a tab (pages specified to be programmed as tab stock) (col. 7, lines 5-34); a user interface (user interface 52) including an input device for a user to specify the selected page and tab label information to be rendered on said tab and to allow the user to select a specific tab stock to be used for all pages having tabs in the document, the tab label information being entered independent of the specific tab stock, and the selected specific tab stock being stored in the memory on a plurality-of-page basis (tab image) (col. 8, lines 47-67 and col. 9, lines 1-2); and a print output module that receives the flag and the tab label information to be rendered on said tab and prints said tab label information on said tab of the selected page of the specific tab stock (Fig. 9) (printing tab images on the tab pages) (col. 8, lines 14-46).

Hube fails to teach a printing system comprising: wherein the specified characters for each of the selected pages are stored in a non-image.

Motamed et al teaches a printing system comprising: wherein the specified characters for each of the selected pages are stored in a non-image (tab text and tab font size) (col. 7, lines 1-39).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to have combined the teachings of Hube with the teaching of Motamed to use templates containing the non-image parameters for the printing of tabs.

- 12. Regarding claim 7, Hube teaches a printing system wherein the flag (tab parameters) (col. 7, lines 5-16 and col. 8, lines 15-27) and the tab label information (tab image) (col. 8, lines 47-67 and col. 9, lines 1-2) are stored as objects.
- 13. Regarding Claim 8, Hube teaches a printing system wherein said objects are page objects (page tickets) (col. 8, lines 15-27).
- 14. Regarding Claim 9, Hube fails to teach a printing system wherein said objects comprise PDF objects.

Motamed et al teaches a printing system wherein said objects comprise PDF objects (PS/PDF file on the Fiery) (col. 6, lines 42-52).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to have combined the teachings of Hube with the teaching of Motamed to save the template as a PDF file.

- 15. Regarding Claim 10, Hube teaches a printing system wherein a tab sheet is created as an additional page to the document (tab stock) (col. 7, lines 9-12).
- 16. Regarding Claim 11, Hube teaches a method of printing a document on a printing system including a print output module, said method comprising: generating flags stored

Art Unit: 2625

in a first memory region for each of a plurality of pages in a document to be printed (pages specified to be programmed as tab stock), the flags indicating that selected pages in a document to be printed include tabs (user can specify pages in the print job to be programmed as tab stock) (col. 7, lines 5-34); and storing, on a plurality-of-page basis in a third memory region, global tab stock data identifying tab stock to be used for printing all of the selected pages (page tickets are saved) (col. 8, lines 14-28); and printing the specified characters on the tabs of the selected pages of the specified tab stock, based at least upon the flags, the specified characters for each of the selected pages, and the stored global tab stock data (Fig. 9) (printing tab images on the tab pages) (col. 8, lines 14-46).

Hube fails to teach a method comprising: storing specified characters for each of the selected pages to be rendered on the tabs, the specified characters for each of the selected pages being stored in a second memory region in a non-image format.

Motamed et al teaches a method comprising: storing specified characters for each of the selected pages to be rendered on the tabs (templates can be stored in a computer memory) (col. 5, lines 17-23), the specified characters for each of the selected pages being stored in a second memory region in a non-image format (tab text and tab font size) (col. 7, lines 1-39).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to have combined the teachings of Hube with the teaching of Motamed to use templates containing the non-image parameters for the printing of tabs.

Art Unit: 2625

17. Regarding Claim 12, Hube teaches a method wherein each of the flags (tab parameters) (col. 7, lines 5-16 and col. 8, lines 15-27) and the specified characters for each of the selected pages (tab image) (col. 8, lines 47-67 and col. 9, lines 1-2) are stored as objects.

Page 8

- 18. Regarding Claim 13, Hube teaches a method wherein each of the flags and the specified characters for each of the selected pages are stored as page objects (page tickets) (col. 8, lines 15-27).
- 19. Regarding Claim 14, Hube fails to teach a method wherein each of the flags and specified characters for each of the selected pages are stored as PDF objects.

Motamed et al teaches a method wherein each of the flags and specified characters for each of the selected pages are stored as PDF objects (PS/PDF file on the Fiery) (col. 6, lines 42-52).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to have combined the teachings of Hube with the teaching of Motamed to save the template as a PDF file.

- 20. Regarding Claim 15, Hube teaches a method further comprising creating a tab sheet as an additional page to the document (tab stock) (col. 7, lines 9-12).
- 21. Regarding Claim 16, Hube teaches method for printing a document on a printing system including a print output module, said method comprising: generating a flag indicating that a selected page in a document to be printed contains a tab (pages specified to be programmed as tab stock) (col. 7, lines 5-34); receiving tab label information to be rendered on said tab (Fig. 9, S5, tab extraction parameters) (col. 7,

lines 5-34); receiving information specifying a specific tab stock to be used for all pages having tabs in the document, the tab label information being received independent of the specific tab stock, and the selected specific tab stock being stored in the memory on a plurality-of-page basis (tab image) (col. 8, lines 47-67 and col. 9, lines 1-2); printing the tab label information on the tab of the selected page of the specific tab stock, based at least upon the flag, the tab label information, and information specifying the specific tab stock (Fig. 9) (printing tab images on the tab pages) (col. 8, lines 14-46).

Hube fails to teach a method wherein the specified characters for each of the selected pages are stored in a memory in a non-image format.

Motamed teaches a method wherein the specified characters for each of the selected pages are stored in a memory in a non-image format (tab text and tab font size) (col. 7, lines 1-39).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to have combined the teachings of Hube with the teaching of Motamed to use templates containing the non-image parameters for the printing of tabs.

- 22. Regarding Claim 17, Hube teaches a method further comprising storing the flag (tab parameters) (col. 7, lines 5-16 and col. 8, lines 15-27) and tab information tab image) (col. 8, lines 47-67 and col. 9, lines 1-2) as objects.
- 23. Regarding Claim 18, Hube teaches a method wherein said step of storing comprises storing objects are page objects (page tickets) (col. 8, lines 15-27).
- 24. Regarding Claim 19, Hube fails to teach a method wherein said step of storing objects as page objects comprises storing objects as PDF objects.

Art Unit: 2625

Motamed et al teaches a method wherein said step of storing objects as page objects comprises storing objects as PDF objects (PS/PDF file on the Fiery) (col. 6, lines 42-52).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to have combined the teachings of Hube with the teaching of Motamed to save the template as a PDF file.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Satwant K. Singh whose telephone number is (571) 272-7468. The examiner can normally be reached on Monday thru Friday 8am - 4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David K. Moore can be reached on (571) 272-7437. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2625

Page 11

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Salwart Sufh

Satwant K. Singh Examiner Art Unit 2625

DAVID MOORE
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600